

Model: **PGA223**

Project Name:	
Location:	
Item:	

Quantity:

Prep Top - Pan coolers: **R290 Propane refrigerant**

Date:



Standard Features:

• GOLD LINE

Designed with enduring quality that will improve the efficiency and production of your restaurant. Constructed with stainless steel AISI 304 interior & exterior.

• INTERIOR and EXTERIOR Durable, s/s AISI 304 stainless steel.

• REFRIGERANT GAS

Environmentally friendly R290 (Propane)

• POWER CORD Cord and plug included

• INONX PAN (OPTIONAL) GN stainless steel pans (not included)

• TEMPERATURE CONTROLLER Electronic digital controller

• INSULATION

Ciclopentane High density foamed in place environmentally friendly. Kyoto Protocol Compliant: ODP = 0 (Ozone Depletion Potential) GWP = 5 (Global Warming Potential) polyurethane keeps energy costs low.

*Specification may change without prior notice

Model	PGA223	Cabinet / Packing Dimensions			Capacity
Cooling power W	300	mm / inches			10 x GN 1/3
Absorbed Power W	150	L	D	н	10 X GN 1/3
Ambient temp. °C/°F	32° / 89,6°	223 (cm) 87 3/4"	38,5 (cm) 15 5/32"	24,5(cm) 9 21/32"	
Temp. °C / °F	1° , 4° C 33,8° , 39,2° F	229 (cm) 90 5/32"	40 (cm) 15 3/4"	30(cm) 11 13/16"	
Voltage	230/50/1				
Amps	0,7				
Shipping Weight	58kg / 128Lbs				
Plug	Schuko 16A				
Gas	R290				





Project Name: Location:		
Item:	 Quantity:	
Date:		

Construction specifications:

DESIGN

Desmon pan coolers manufactured in Italy with enduring ergonomic features to protect your long term investment. Designed using the highest technologies, quality materials and components to provide the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.

CABINET CONSTRUCTION

All made in stainless steel AISI 304, unique in the market place. The finest stainless available; latest generation, higher tensile strength for fewer dents and scratches.

Higher insulation rates thanks to high-tech environmentally friendly CFC free, Cyclopentane foaming keeping insulationproperties longer than other foams. 5% of energy consumtion savings guarantee if compared to other CFC free foams. Interior - attractive stainless steel Aisi304,

REFRIGERATION SYSTEM

Factory engineered, self-contained, capillary tube system using environmentally friendly (HCFC free) R290 Propane refrigerant. Temperature Range, getting the best in food preservation:

Coolers adjustable from (1°C to 4°C / 33.8 to 39.26°F)

PANS


10 GN 1/3 stainless steel pan not included


MODEL FEATURES 1 digital display adjustable with alarms


ELECTRICAL

Unit completely pre-wired at factory and ready for final connection to a dedicated outlet. Cord and plug set included Voltages: 230V/50 Hz /1 Ph

Architect Corner







2230 [87 3/4]

