

Project Name: _____
 Location: _____
 Item: _____ Quantity: _____
 Date: _____

Model:
PTGM2

Counter:
2 full doors - Propane refrigerant gas



PTGM2 (in the picture)



Standard Features:

- **GOLD LINE**
Is designed with enduring quality that will improve the efficiency and production of your restaurant. Constructed with stainless steel AISI 304 interior & exterior.
- **INTERIOR and EXTERIOR**
Durable, s/s AISI 304 stainless steel.
- **REFRIGERANT GAS**
Environmentally friendly R290.(Propane)
- **FEET**
Flange for assembly feet and wheels
- **POWER CORD**
Cord and plug supplied
- **SHELVING**
Nr. 1 epoxy coated wire shelf standard, installed per full door section.
- **TEMPERATURE CONTROLLER**
Electronic digital controller
- **INSULATION**
Ciclopentane High density foamed in place environmentally friendly.
Kyoto Protocol Compliant:
ODP = 0 (Ozone Depletion Potential)
GWP = 3 (Global Warming Potential)
polyurethane keeps energy costs low.



Magnetic removable gasket without tools



Compact refrigeration system



Digital controller

Option:

- Castors
- Stainless steel wiring shelf

Specification may change without prior notice

Model	Capacity Lt / ft ³	Ambient temp. °C/°F	Cabinet / Packing Dimensions			Voltage	Amps	Shipping Weight
PTGM2	280 / 9,9	40° / 104°	mm / inches			230/50/1	1,7	130kg/287Lbs
Temp. °C / °F	Door	Cooling capacity W	L	D	H	Shuko	Shelves	Gas
-2° , 8° C 28° , 46° F	2	250	146 (cm) 57 31/64"	70 (cm) 27 1/2"	89(cm) 35 1/32"	1	2	R290
			150 (cm) 59"	74 (cm) 29 5/32"	100(cm) 39 3/8"			

visit Us at: www.desmon.it

Project Name: _____
 Location: _____
 Item: _____ Quantity: _____
 Date: _____

Construction specifications:

DESIGN

Desmon reach-in are manufactured in Italy with enduring ergonomic features to protect your long term investment. Designed using the highest technologies, quality materials and components to provide the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.

CABINET CONSTRUCTION

All made in stainless steel AISI 304, unique in the market place. The finest stainless available; latest generation, higher tensile strength for fewer dents and scratches. .
 Higher insulation rates thanks to high-tech environmentally friendly CFC free, Cyclopentane foaming keeping insulation properties longer than other foams. 5% of energy consumption savings guarantee if compared to other CFC free foams.
 Interior - attractive stainless steel Aisi304, ETL Sanitation & CE "rounded corners".

REFRIGERATION SYSTEM

Factory engineered, self-contained, capillary tube system using environmentally friendly (HCFC free) R290 (Propane)refrigerant. Evaporator coil & condenser balanced for low power consumption - holding the widest temperature range in its class: Temperature Range, getting the best in food preservation: Coolers adjustable from (-2°C to 8°C / 28 to 46°F). Sealed, cast iron, self-lubricating evaporator fan motor(s) and larger fan blades with a more efficient low velocity, high volume airflow design. Ensuring faster temperature recovery and shorter run times in the busiest of food service environments.

DOORS

Stainless steel exterior and interior.
 Guaranteed door handle.
 Magnet Seal
 Gasket of one piece construction, removable without tools for ease of cleaning.

SHELVING

Nr. 1 heavy duty PVC coated wire included per each door

MODEL FEATURES

1 digital display adjustable with alarm and control unit standard on every GOLD models. Evaporator is epoxy coated to eliminate the potential of corrosion. ETL Sanitation and CE "Rounded Corners" compliant for food product.

ELECTRICAL

Unit completely pre-wired at factory and ready for final connection to a dedicated outlet. Cord and plug set included: Voltages: 230V/50Hz/1 phase

Architect Corner

